

CABINET:

Tension Headache Relief



Active Ingredients (in each tablet)

Purpose

Acetaminophen 500mg.....	Pain reliever
Caffeine 65mg.....	Pain reliever aid

Uses

Temporarily relieves minor aches and pains due to:

- headache • muscular aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 6 tablets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash
If a skin reaction occurs, stop use and seek medical help right away.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use • if you are allergic to acetaminophen • with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if • any new symptoms occur • painful area is red or swollen • pain gets worse or lasts for more than 10 days • fever gets worse or lasts for more than 3 days. These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms (1-800-222-1222).

Directions

Do not use more than directed • adults and children 12 years and over; take 2 tablets every 6 hours; not more than 6 tablets in 24 hours • children under 12 years: ask a doctor

Other Information

Store at 20°-25°C (68°-77°F) • close cap tightly after use • read all product information before using

Inactive Ingredients

Colloidal silicon dioxide, croscarmellose sodium, D&C Red No. 27, FD&C Blue No. 2, FD&C Yellow No. 6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, purified water, stearic acid, talc, titanium dioxide