

CABINET:

Stool Softener & Laxative



Active Ingredients (in each tablet)

Purpose

| | |
|----------------------------|----------------|
| Docosate sodium 50 mg..... | Stool softener |
| Sennosides 8.6 mg..... | Laxative |

Uses

- relieves occasional constipation (irregularity) • generally produces bowel movement in 6-12 hours

Warnings

Do not use • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week, unless directed by a doctor

Ask a doctor before use if you have • stomach pain • nausea • vomiting • noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take preferably at bed time or as directed by a doctor • adults & children 12 years of age or older: 2 tablets once a day; 4 tablets twice a day • children 6 to under 12 years: 1 tablet once a day; 2 tablets twice a day • children 2 to under 6 years: ½ tablet once a day; 1 tablet twice a day • children under 2 years: ask a doctor ask a doctor

Other Information

- each tablet contains: calcium 20 mg and sodium 6 mg • store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive Ingredients

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Yellow No. 10, FD&C Yellow No. 6, hypromellose, magnesiumstearate, microcrystalline cellulose, maltodextrin, polyethylene glycol 400, purified water, sodiumbenzoate, stearic acid, titanium dioxide